

L Number	Hits	Search Text	DB	Time stamp
2	6	((etch\$3 with mesa) same (planariz\$5 with (insulator or oxide or dielectric))) and (@ad<20010305 or @rlad<20010305)) and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:34
3	576	((etch\$3 with (mesa or island)) and (planariz\$5 with (insulator or oxide or dielectric))) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:34
4	109	((etch\$3 with (mesa or island)) and (planariz\$5 with (insulator or oxide or dielectric))) and (@ad<20010305 or @rlad<20010305)) and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:54
1	66	((etch\$3 with mesa) same (planariz\$5 with (insulator or oxide or dielectric))) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:55
5	157	deposit\$3 with oxide with mesa with silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:54
6	145	(deposit\$3 with oxide with mesa with silicon) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 16:06
7	35	((deposit\$3 with oxide with mesa with silicon) and (@ad<20010305 or @rlad<20010305)) and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 15:29
8	15	field with oxide with isolate with resistors	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 15:57
9	5	(dummy with gate) same resistor same insulator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 16:05
10	27	(dummy with gate) same resistor same oxide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 16:05
11	17	((dummy with gate) same resistor same oxide) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 16:06

-	100	("5578862" "6013950" "4338571" "4898837" "5221857" "5583058" "5587612" "5633190" "5858850" "5252502" "4475955" "4495222" "4499557" "4560422" "4600658" "4971926" "5320932" "5329155" "5502327" "5668755" "5670819" "5751050" "5821587" "5970338" "6031266" "6124615" "6229190" "6242792" "6445055" "4259564" "4326213" "4609935" "4782202" "4947020" "5276346" "5356826" "5391906" "5436483" "5436484" "5534723" "5610089" "5618749" "5963279" "4265117" "4620212" "4626881" "4755480" "4786612" "4847783" "4975386").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 16:55
-	257	((resistor or gate) with sti) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 15:15
-	189	((resistor or gate) with sti) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 17:00
-	37	(((resistor or gate) with sti) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 17:56
-	192) and 257/\$3.ccls. and @ad<20010305 resistor with (dielectric or insulator) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 18:46
-	28	(resistor with (dielectric or insulator) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 18:47
) and 257/\$3.ccls. and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	

-	12	("3574932" "4179310" "4468414" "4594265" "4704188" "4708747" "4839711" "5179434" "5367284" "5414404" "5525831" "6316325" "2001/0017397").PN.	USPAT	2003/03/27 18:38
-	52	resistive with (dielectric or insulator) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 18:46
-	8	(resistive with (dielectric or insulator) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 18:47
-	2178) and 257/\$3.ccls. and @ad<20010305 resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:19
-	86	(resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 14:15
-	74) same active ((resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:24
-	204) same active) and @ad<20010305 (resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:53
-) and (width with resistance)		
-	12	((resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:59
-) same active) and (width with resistance)		
-	9	((resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:59
-) same active) and dummy		
-	3	((resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:20
-) same active) and (distance with between with resistors)		
-	105	(resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:46
-) and (distance with between with resistors)		
-	94	((resistor with (over or under) with (dielectric or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:24
-) and (distance with between with resistors)		
-	3) and @ad<20010305 (dummy adj gate) same resistor same active same (insulator or dielectric)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:51

-	4	(dummy adj gate) and (resistor same active same (insulator or dielectric))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:51
-	2	(resistor with over with sti) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:58
-	8	(resistor with sti) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:58
-	0	jp-9022641-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 16:08
-	0	jp-90022641-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 16:09
-	1	jp-3227060-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 17:08
-	8314	transistor with common with source with drain	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 17:09
-	711	transistor with common with source with drain with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:04
-	50	(transistor with common with source with drain with series) same insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 17:13
-	46	((transistor with common with source with drain with series) same insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:32
-	12404) and @ad<20010305 transistor with coupled with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:05
-	1289	transistor with coupled with series with source with drain	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:11
-	2	(transistor with coupled with series with source with drain	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:12
-	7) and 257/401.ccls. (transistor with coupled with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:11
-	1233) and 257/401.ccls. 257/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:32
-	79	257/401.ccls. and (shar\$3 with source with drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:36
-	73	(257/401.ccls. and (shar\$3 with source with drain)) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:12
-	2	257/401.ccls. and ((shar\$3 with source with drain) same trench)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:38

-	0	(transistor with coupled with series with source with drain	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:38
-	2) same sti (transistor with coupled with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:39
-	1) same sti (transistor with coupled with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:40
-	20) same (shallow adj trench) (shallow adj trench) same (source with drain with series)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:50
-	27	(shallow adj trench) same (source with drain with coupled)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:51
-	12	((shallow adj trench) same (source with drain with coupled)) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 18:51
-	10238	form\$3 with resistor with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:04
-	44	(transistor with coupled with series	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:10
-	122765) and (form\$3 with resistor with insulat\$3) (source or drain or active) with (shallow or sti or resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:11
-	752	(form\$3 with resistor with insulat\$3) same ((source or drain or active) with (shallow or sti or resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:11
-	1	((form\$3 with resistor with insulat\$3) same ((source or drain or active) with (shallow or sti or resistor))) and 257/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:11
-	259	((form\$3 with resistor with insulat\$3) same ((source or drain or active) with (shallow or sti or resistor))) and 257/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:40
-	225	((form\$3 with resistor with insulat\$3) same ((source or drain or active) with (shallow or sti or resistor))) and 257/\$3.ccls.) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:58
-	15	form\$3 with resistor with over with (shallow or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:24
-	105	form\$3 with resist\$4 with over with (shallow or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:24
-	31	(form\$3 with resist\$4 with over with (shallow or sti)) and 257/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:58
-	2	transistor same coupled same series same shallow same trench	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:40
-	14	(source or drain) same coupled same series same shallow same trench	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:39

-	71	transistor same coupled same shallow same trench	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:40
-	30	(transistor same coupled same shallow same trench) and 257/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:57
-	13	("4426686" "5117389" "5329483" "5477484" "5703820" "5745401" "5787033" "5866457" "5930180" "6084794" "6136648" "6236587" "6363001" "2002/0060347").PN.	USPAT	2003/11/17 19:43
-	13	("4426686" "5117389" "5329483" "5477484" "5703820" "5745401" "5787033" "5866457" "5930180" "6084794" "6136648" "6236587" "6363001" "2002/0060347").PN.	USPAT	2003/11/17 19:51
-	193	dielectric and isolation and bit and word and rom and node and diffusion	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:18
-	73	(dielectric and isolation and bit and word and rom and node and diffusion) and 257/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 19:58
-	59	((dielectric and isolation and bit and word and rom and node and diffusion) and 257/\$3.ccls.) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:24
-	2	(word adj line) with over with (dielectric adj isolation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:09
-	13	(word adj line) with over with (shallow adj trench)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:09
-	9	((word adj line) with over with (shallow adj trench)) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:13
-	49	poplevine.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:13
-	0	(dielectric adj isolation) with resistor with node	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:18
-	10	(dielectric adj isolation) with resistor with over	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:20
-	7	(fox) with resistor with over	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:22
-	5	sti with resistor with over	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:23
-	37	trench with resistor with over	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:23
-	27	(trench with resistor with over) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:31

-	44	(shallow adj trench) with separated with active with regions	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:55
-	23	((shallow adj trench) with separated with active with regions) and @ad<20010305	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:31
-	9	("5429956" "5434093" "5538913" "5677218" "5686321" "5698461" "5712501" "5712503" "5766998").PN.	USPAT	2003/11/17 20:37
-	15	((shallow adj trench) with active with regions) same resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:47
-	478	isolation with separated with active with regions	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:55
-	7	isolation with separated with active with regions with resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 20:57
-	0	653108.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:04
-	14	resist\$3 with separate with (isolation or sti or insulat\$3) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:00
-	9	(resist\$3 with separate with (isolation or sti or insulat\$3) with active) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:16
-	190	resist\$3 with over with (isolation or sti or insulat\$3) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:13
-	14	resist\$3 adj6 over adj6 (isolation or sti or insulat\$3) adj6 active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:01
-	2	resist\$3 with over with multiple with (isolation or sti or insulat\$3) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:14
-	5	resist\$3 with form\$3 with multiple with (isolation or sti or insulat\$3) with active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:15
-	221	resist\$3 with form\$3 with multiple with (isolation or sti or insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:15
-	23	resist\$3 with form\$3 with multiple with (isolation or sti or insulat\$3) and active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:29
-	19	(resist\$3 with form\$3 with multiple with (isolation or sti or insulat\$3) and active) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:21
-	0	(resistor or resistive) with form\$3 with multiple with ((shallow adj trench adj isolation) or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:30
-	3	(resistor or resistive) same form\$3 same multiple same ((shallow adj trench adj isolation) or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:32

-	155	(resistor or resistive) same form\$3 same ((shallow adj trench adj isolation) or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:32
-	92	((resistor or resistive) same form\$3 same ((shallow adj trench adj isolation) or sti)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/06 17:33
-	684887	predetermined.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:19
-	684887	predetermined.clm.	USPAT; US-PGPUB	2004/05/07 12:19
-	19	(resistance with value with resistor) same (cmp or sti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:33
-	12	((resistance with value with resistor) same (cmp or sti)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:40
-	4	(resistance with value with resistor) and (cmp same dish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:35
-	0	cmp same dish\$3 same resistor same resistance	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:36
-	6	cmp same dish\$3 same resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:39
-	164	cmp same dish\$3 same dummy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:39
-	108	(cmp same dish\$3 same dummy) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:48
-	56	((cmp same dish\$3 same dummy) and (@ad<20010305 or @rlad<20010305)) and (resistor or resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:47
-	17	cmp same shift same (resistor or resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:49
-	13	(cmp same shift same (resistor or resistance)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:49
-	87	cmp same height same (resistor or resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:50
-	57	(cmp same height same (resistor or resistance)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:50
-	14	cmp same height same (resistor or resistance) same dish\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 12:50
-	8	(cmp same height same (resistor or resistance) same dish\$3) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:00

-	49	((cmp same height same (resistor or resistance)) and (@ad<20010305 or @rlad<20010305)) not ((cmp same height same (resistor or resistance) same dish\$3) and (@ad<20010305 or @rlad<20010305))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:00
-	95	(cmp same dish\$3) and ((resistance or resistor) same height)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:06
-	59	((cmp same dish\$3) and ((resistance or resistor) same height)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:10
-	0	(cmp same dish\$3) and (resistor same height same over same (sti or trench or locos or isolation))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:08
-	1	(cmp same dish\$3) and (resistor same height same (sti or trench or locos or isolation))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:10
-	61	(cmp same dish\$3) and ((conductor or metal) same height same (sti or trench or locos or isolation))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 13:10
-	41	((cmp same dish\$3) and ((conductor or metal) same height same (sti or trench or locos or isolation))) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:12
-	0	(width with trench with set with dish\$3) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:12
-	0	(width with trench with set\$4 with dish\$3) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 16:33
-	44	(width with trench with dish\$3) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:13
-	0	((dummy adj plug) same dish\$3 same CMP) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 16:33
-	0	((dummy adj plug) same dish\$3 same CMP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 16:33
-	3	((dummy adj plug) and dish\$3 and CMP) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 17:56
-	5	960495.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 16:52
-	12	("5266446" "5445994" "5459093" "5639697" "5801094" "5885856" "5888889" "6016000" "6057224" "6124198" "6232662" "6251773").PN.	USPAT	2004/08/25 17:04
-	4	6380087.URPN.	USPAT	2004/08/25 17:19
-	169	((plug same dish\$3) and CMP) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:11
-	14	((plug same dish\$3) and CMP) and (@ad<20010305 or @rlad<20010305)) and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:09

-	1	resistor with form\$5 with "on" with (insulat\$3 or dielectric or \$2oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:10
-	15505	resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:11
-	1332	(resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) with over	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:11
-	1	((resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) with over) and dish\$3 and cmp) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:14
-	10	((resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) with over) and dish\$3 and cmp	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:12
-	13131	(resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:14
-	0	((resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) and (@ad<20010305 or @rlad<20010305)) and (dummy with dish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 18:15
-	7	(resistor with form\$5 with (insulat\$3 or dielectric or \$2oxide)) and (dummy with dish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:29
-	7	(resistor with (insulat\$3 or dielectric or \$2oxide)) and (dummy with dish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:31
-	8	(resistor with (insulat\$3 or dielectric or \$2oxide)) and (dummy same dish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:36
-	2	"20010049199"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:40
-	2	"20030102929"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 10:39
-	0	20010049199.URPN.	USPAT	2004/08/26 10:40
-	2	6737326.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 11:46
-	6	("5420063" "5422307" "5485138" "5547896" "6165862" "6326256").PN.	USPAT	2004/08/26 10:40
-	29	resistor same (insulat\$3 or dielectric) same (dummy adj gate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 11:56
-	16	(resistor same (insulat\$3 or dielectric) same (dummy adj gate)) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 11:57
-	34	resistor same (pad with oxide) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 11:57
-	28	(resistor same (pad with oxide) same active) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 14:21

-	52	(resistor with (pad with oxide) with form\$5) and (@ad<20010305 or @rlad<20010305)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 14:27
-	1	(resistor with (pad with oxide) with form\$5) and (@ad<20010305 or @rlad<20010305) and dummy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/01 14:15